



Monterey Bay Analytical Services

4 Justin Court Suite D, Monterey, CA 93940

831.375.MBAS (6227)

www.MBASinc.com

ELAP Certification Number: 2385

Wednesday, April 5, 2023

Pajaro Sunny Mesa Svc District
Pajaro Sunny Mesa Svc District
136 San Juan Road
Royal Oaks, CA 95076

Sample Results

Lab Number: 230327_97-01 Sample Description: Sunny Mesa WS, Well #2

Collection Date/Time: 3/27/2023 9:00 Sample Collector: Farfan R Client Sample #:

Received Date/Time: 3/27/2023 16:27 System ID: CA2700773_002_002

Analyte	Method	Unit	Result	Dilution	Qualifier	PQL	MCL	Analysis Date / Time	Analyst
Ammonia-N	EPA 350.1	mg/L	ND	1		0.15		3/28/2023 14:12	XQL
Asbestos	EPA100.2	mF/L	ND	1	E	0.2	7	4/2/2023 12:00	E
Uranium, Radiological	EPA200.8	pCi/L	0.7	1		0.3	20	4/4/2023 16:02	MW
Uranium, Total	EPA200.8	µg/L	1.1	1		0.5	30	4/4/2023 16:02	MW
Nitrate as N	EPA300.0	mg/L	0.2	1	LO	0.1	10	3/28/2023 5:43	HC
<i>LO: MS and/or MSD result unavailable. Acceptability based on LCS recovery.</i>									
Nitrite as N	EPA300.0	mg/L	ND	1	LO	0.1	1	3/28/2023 5:43	HC

Abbreviations/Definitions: mg/L: Milligrams per liter (=ppm) µg/L: Micrograms per liter (=ppb) MPN: Most Probable Number
MDL: Method Detection Limit PQL: Practical Quantitation Limit MCL: Maximum Contamination Level ND: Not Detected at the PQL (or MDL, if shown)
E: Analysis performed by External Laboratory; see Report attachments H: Analyzed outside of method hold time QC: Quality Control
J: Result is < PQL but ≥ MDL; the concentration is an approximate value.